## AMENDMENT TO THE CLAIMS

# 1. (CANCELLED)

(CURRENTLY AMENDED) A water-soluble polymer dispersion in which a water-soluble polymer having at least one type of ionicity selected from among cationicity and amphotericity and occurring in the form of fine particles with a particle size of not greater than 100 µm and a polyalkylenimine in the sulfate salt form by is produced the polymer coexist, wherein polymerization of a monomer (or monomer mixture) comprising 5 to 100 mole percent of a monomer represented by the general formula (1) and/or (2) given below, 0 to 50 mole percent of a monomer represented by the general formula (3) given below and 0 to 95 mole percent of a water-soluble nonionic monomer with stirring in the presence of said polyalkylenimine in the sulfate salt form- $\underline{i}$ 

$$CH_2 = C - R_1$$
  $R_2$   
 $CO - A - B - N - R_4 X_1$   
 $R_3$ 

General formula (1),

wherein (In the general formula (1),  $R_1$  is a hydrogen atom or a methyl group,  $R_2$  and  $R_3$  may be the same or different and each is an alkyl or an alkoxy group containing 1 to 3 carbon atoms or a benzyl group,  $R_4$  is a hydrogen atom, an alkyl or alkoxy group containing 1 to 3 carbon atoms or a benzyl group. A represents an oxygen atom or NH, B represents an alkylene or an alkoxylene group

containing 2 to 4 carbon atoms, and  $X_1$  represents a sulfate anion.);

$$R_5$$
  $R_6$  (CH<sub>2</sub>= C- CH<sub>2</sub>) -  $N$   $X_2$   $R_7$ 

General formula 2),

wherein  $\langle \text{In} \text{-} \text{the general formula (2)}$ ,  $R_5$  represents a hydrogen atom or a methyl group,  $R_6$  and  $R_7$  each represents an alkyl or an alkoxy group containing 1 to 3 carbon atoms or a benzyl group, and  $X_2$  represents a sulfate anion.);

General formula (3),

wherein (In—the general formula (3),  $R_8$  represents a hydrogen atom, a methyl group or a carboxymethyl group, Q represents  $SO_3$ ,  $C_6H_4SO_3$ ,  $CONHC(CH_3)_2CH_2SO_3$ ,  $C_6H_4COO$  or COO,  $R_9$  represents a hydrogen atom or  $COOY_2$ , and  $Y_1$  or  $Y_2$  represents a hydrogen atom or a cation.)

3. (PREVIOUSLY PRESENTED) A water-soluble polymer dispersion in which a water-soluble polymer having at least one type of ionicity selected from among anionicity and nonionicity and occurring in the form of fine particles with a particle size of not greater than 100 µm and a polyalkylenimine in the sulfate salt form coexist, wherein the polymer is produced by dispersion polymerization of a monomer composition (mixture) comprising at least one monomer selected from among monomers represented by said

given above and water-soluble nonionic formula (3) monomers in the presence of said polyalkylenimine in the sulfate salt form.

#### 4-6. (CANCELLED)

(PREVIOUSLY PRESENTED) A water-soluble polymer dispersion in 7. which a water-soluble polymer having at least one type of ionicity selected from among cationicity, an amphotericity, a nonionicity and an anionicity and occurring as fine particles with a particle size of not greater than 100 µm and a polyalkylenimine in the sulfate salt form coexist,

wherein the polyalkylenimine is polyethylenimine.

(PREVIOUSLY PRESENTED) A water-soluble polymer dispersion in which a water-soluble polymer having at least one type of ionicity selected from among cationicity, an amphotericity, a nonionicity and an anionicity and occurring as fine particles with a particle size of not greater than 100 µm and a polyalkylenimine in the sulfate salt form coexist,

wherein the polyalkylenimine amounts to 20 to 200% by mass relative to the water-soluble polymer.

(CURRENTLY AMENDED) A method of producing water-soluble 9. polymer dispersions, wherein a dispersion of fine particles of a polymer having at least one type of ionicity selected from among cationicity and amphotericity is produced by subjecting a monomer (or monomer mixture) comprising 5 to 100 mole percent of a monomer represented by the general formula (1) and/or (2) given below, 0

to 50 mole percent of a monomer represented by the general formula (3) given below and 0 to 95 mole percent of a water-soluble nonionic monomer to dispersion polymerization with stirring in the presence of a polyalkylenimine in the sulfate salt form—:

$$CH_2 = C - R_1$$
  $R_2$   
 $CO - A - B - N - R_4 X_1$   
 $R_3$ 

General formula (1),

wherein (In the general formula (1),  $R_1$  is a hydrogen atom or a methyl group,  $R_2$  and  $R_3$  may be the same or different and each is an alkyl or alkoxy group containing 1 to 3 carbon atoms or a benzyl group,  $R_4$  is a hydrogen atom, an alkyl or alkoxy group containing 1 to 3 carbon atoms or a benzyl group. A represents an oxygen atom or NH, B represents an alkylene or alkoxylene group containing 2 to 4 carbon atoms, and  $X_1$  represents a sulfate anion.);

General formula (2),

wherein (In—the general formula (2),  $R_5$  represents a hydrogen atom or a methyl group,  $R_6$  and  $R_7$  each represents an alkyl or alkoxy group containing 1 to 3 carbon atoms or a benzyl group, and  $X_2$  represents a sulfate anion—);

General formula (3).

wherein (In-the general formula (3),  $R_8$  represents a hydrogen atom, a methyl group or a carboxymethyl group, Q represents  $SO_3$ ,  $C_6H_4SO_3$ ,  $CONHC(CH_3)_2CH_2SO_3$ ,  $C_6H_4COO$  or COO,  $R_9$  represents a hydrogen atom or  $COOY_2$ , and  $Y_1$  or  $Y_2$  represents a hydrogen atom or a cation.)

10. (CURRENTLY AMENDED) A method of producing water-soluble polymer dispersions, wherein a dispersion of fine particles of a polymer having at least one type of ionicity selected from among anionicity and nonionicity is produced by subjecting a monomer composition (mixture) comprising at least one monomer selected from among monomers represented by the general formula (3) given below and water-soluble nonionic monomers to dispersion polymerization with stirring in the presence of a polyalkylenimine in the sulfate salt form—;

General formula (3),

wherein (In the general formula (3),  $R_8$  represents a hydrogen atom, a methyl group or a carboxymethyl group, Q represents  $SO_3$ ,  $C_6H_4SO_3$ ,  $CONHC(CH_3)_2CH_2SO_3$ ,  $C_6H_4COO$  or COO,  $R_9$  represents a hydrogen

atom or  $COOY_2$ , and  $Y_1$  or  $Y_2$  represents a hydrogen atom or a cation.

- 11. (PREVIOUSLY PRESENTED) A use of the water-soluble polymer dispersion according to any of Claims 2, 3, 7, 8, 23, 27, 31 and 35, wherein the water-soluble polymer dispersion is added to papermaking raw material before papermaking for pretreatment thereof.
- 12. (PREVIOUSLY PRESENTED) A use of the water-soluble polymer dispersion according to any of Claims 2, 3, 7, 8, 23, 27, 31 and 35, wherein the water-soluble polymer dispersion is added to papermaking raw material before papermaking to thereby improve the freeness thereof.
- 13. (PREVIOUSLY PRESENTED) A use of the water-soluble polymer dispersion according to any of Claims 2, 3, 7, 8, 23, 27, 31 and 35, wherein the water-soluble polymer dispersion is added to papermaking raw material before papermaking, in which a sizing agent coexists, to thereby improve the degree of sizing.
- 14. (PREVIOUSLY PRESENTED) A use of the water-soluble polymer dispersion according to any of Claims 2, 3, 7, 8, 23, 27, 31 and 35, wherein the water-soluble polymer dispersion is added to paper making raw material before papermaking to thereby improve the yield, followed by papermaking.
- 15. (PREVIOUSLY PRESENTED) A use of the water-soluble polymer dispersion according to any of Claims 2, 3, 7, 8, 23, 27, 31 and

35, wherein the water-soluble polymer dispersion is added to paper making raw material before papermaking in combination with an inorganic and/or organic anionic substance to thereby improve the yield, followed by papermaking.

16. (PREVIOUSLY PRESENTED) A use of the water-soluble polymer dispersion according to any of Claims 2, 3, 7, 8, 23, 27, 31 and 35, wherein the water-soluble polymer dispersion is added to organic sludge or paper mill-derived sludge to cause flocculation, followed by dewatering by means of dewatering equipment.

17. (PREVIOUSLY PRESENTED) A use of the water-soluble polymer dispersion according to any of Claims 2, 3, 7, 8, 23, 27, 31 and 35, wherein the water-soluble polymer dispersion is added to organic sludge or paper mill-derived sludge in combination with an amphoteric or anionic water-soluble polymer to cause flocculation, followed by dewatering by means of dewatering equipment.

## 18-22. (CANCELLED)

23. (PREVIOUSLY PRESENTED) A water-soluble polymer dispersion according to Claim 2, wherein the polyalkylenimine is polyethylenimine.

### 24-26. (CANCELLED)

27. (CURRENTLY AMENDED) A water-soluble polymer dispersion according to Claim 2, wherein the polyalkylenimine amounts to 20 to 200% by mass relative to the water-soluble polymer.

28-30. (CANCELLED)

31. (PREVIOUSLY PRESENTED) A water-soluble polymer dispersion according to Claim 7, wherein the polyalkylenimine amounts to 20 to 200% by mass relative to the water-soluble polymer.

32-34. (CANCELLED)

35. (CURRENTLY AMENDED) A water-soluble polymer dispersion according to Claim 31, wherein the water-soluble polymer is produced by dispersion polymerization of a monomer composition (mixture) comprising at least one monomer selected from among monomers represented by said general formula (3) given below and water-soluble nonionic monomers in the presence of said polyalkylenimine in the sulfate salt form—;

General formula (3),

wherein (In—the general formula (3),  $R_8$  represents a hydrogen atom, a methyl group or a carboxymethyl group, Q represents  $SO_3$ ,  $C_6H_4SO_3$ ,  $CONHC(CH_3)_2CH_2SO_3$ ,  $C_6H_4COO$  or COO,  $R_9$  represents a hydrogen atom or  $COOY_2$ , and  $Y_1$  or  $Y_2$  represents a hydrogen atom or a cation.)

28-30. (CANCELLED)

31. (PREVIOUSLY PRESENTED) A water-soluble polymer dispersion according to Claim 7, wherein the polyalkylenimine amounts to 20 to 200% by mass relative to the water-soluble polymer.

WSGL

32-34. (CANCELLED)

35. (CURRENTLY AMENDED) A water-soluble polymer dispersion according to Claim 31, wherein the water-soluble polymer is produced by dispersion polymerization of a monomer composition (mixture) comprising at least one monomer selected from among monomers represented by said general formula (3) given below and water-soluble nonionic monomers in the presence of said polyalkylenimine in the sulfate salt form—;

General formula (3),

wherein (In the general formula (3),  $R_8$  represents a hydrogen atom, a methyl group or a carboxymethyl group, Q represents  $SO_3$ ,  $C_6H_4SO_3$ ,  $CONHC(CH_3)_2CH_2SO_3$ ,  $C_6H_4COO$  or COO,  $R_9$  represents a hydrogen atom or  $COOY_2$ , and  $Y_1$  or  $Y_2$  represents a hydrogen atom or a cation.)